

SEC. 13-1-155 STANDARD REQUIREMENTS FOR MOBILE HOME PARKS, ADDITIONS OR EXTENSIONS.

All mobile home parks and modifications of or additions or extensions to existing parks under the R-MH District shall comply with the following:

- (a) Chapter HSS 177, Wisconsin Administrative Code, as now existing or hereafter amended, is hereby made a part of this Chapter and incorporated herein by reference as if fully set forth, except that such regulations shall not be deemed to modify any requirement of this Chapter or any other applicable law or Ordinance of the State or City.
- (b) The maximum number of mobile home spaces shall be ten (10) per acre and individual spaces shall not be less than four thousand three hundred fifty (4,350) square feet in area and arranged to afford ample area for a variety of units, a setback of forty (40) feet from all public rights-of-way and ten (10) feet from any park drive or common area, including common parking areas, ten (10) feet from all park boundary lines, fifteen (15) feet from any other unit, building or structure. Accessory structures, such as awnings, cabanas, storage cabinets, carports, windbreaks or attached porches shall be considered part of the unit for purposes of determining compliance with this provision. The minimum size of a mobile home park shall be ten (10) acres; the minimum dimensions of a mobile home site shall be fifty (50) feet wide by eighty-five feet long; all drives, parking areas and walkways shall be hard-surfaced; there shall be a minimum yard setback of forty (40) feet at all lot lines of the mobile home park; no mobile home site shall be rented for a period of less than thirty (30) days; there shall be two (2) surfaced automobile parking spaces for each mobile home; and unless adequately screened by existing vegetative cover, it shall be screened by a temporary planting of fast-growing material, capable of reaching a height of fifteen (15) feet or more, such as hybrid poplar, and a permanent evergreen planting, such as white or Norway pine, the individual trees to be such a number and so arranged that within ten (10) years they will have formed a screen equivalent in opacity to a solid fence or wall. Such permanent planting shall be grown or maintained to a height of not less than fifteen (15) feet.
- (c) No mobile home park shall be laid out, constructed or operated without City water supply and sanitary sewer service. All water or sanitary sewerage facilities in any unit not connected with public water or sewer systems by approved pipe connections shall be sealed and their use is hereby declared unlawful.
- (d) Individual valved water service connections shall be provided for direct use of each unit, so constructed and installed that they will not be damaged by frost or parking of the unit. Water systems shall be adequate to provide pure, potable water supply of six (6) gallons per minute at a minimum pressure of twenty (20) psi and capable of furnishing a minimum of one hundred fifty (150) gallons per unit per day. Fire hydrants shall be installed within five hundred (500) feet of every mobile home stand and park building.
- (e) All liquid wastes originating at units, service or other buildings shall be discharged into a sewerage system extended from and connected with the public sewerage system. Such systems shall comply with all provisions of the State Code and City Ordinances relating to plumbing and sanitation. Each individual space shall be provided with a three (3) inch watertight sewer connection protected from damage by heaving and thawing or parking of the unit and located within the rear one-third (1/3) of the stand, with a continuous grade

which is not subject to surface drainage, so constructed that it can be closed when not in use and trapped in such a manner that it can be kept odor free.

- (f) Adequate provision shall be made for the disposal of solid and liquid wastes in a manner approved by the City. Open burning of waste or refuse is prohibited.
- (g) All television cable systems, electrical and telephone distribution lines and oil or gas piping serving the park or spaces therein shall be installed underground. Distribution systems shall be new and all parts and installations shall comply with all applicable federal, state and local codes.
- (h) Each space shall be provided with a weatherproof electrical overcurrent protection device, disconnect means and branch service of not less than sixty (60) amperes for two hundred twenty (220) volt service located adjacent to the water and sewerage outlets. Receptacles shall be of the four (4) pole four (4) wire grounding type and have a four (4) prong attachment for 110-220 volts.
- (i) A minimum of two (2) off-street parking spaces surfaced with bituminous concrete or similar material capable of carrying a wheel load of four thousand (4,000) pounds shall be provided for each mobile home space.
- (j) Condition of soil, ground water level, drainage and topography shall not create hazards to the property, health or safety of occupants of mobile home spaces or living units. The site shall not be exposed to objectionable smoke, noise, odors or other adverse influences, and no portion subject to unpredictable and/or sudden flooding, subsidence or erosion shall be used for any purpose which would expose persons or property within or without the park to hazards.
- (k) Exposed ground surfaces in all parts of every mobile home park shall be paved or covered with stone screenings or other solid material or protected with a vegetative growth that is capable of preventing soil erosion and eliminating objectionable dust.
- (l) The ground surface in all parts of every mobile home park shall be graded and equipped to drain all surface water in a safe, sanitary and efficient manner.
- (m) All parks shall be furnished with lighting so spaced and equipped with luminaires placed at such heights as will provide the following average maintained levels of illumination for the safe movement of pedestrians and vehicles at night:
 - (1) All parts of the park street systems: 0.6 footcandles, with a minimum of 0.1 foot candles.
 - (2) Potentially hazardous locations, such as major park street intersections and steps or stepped ramps, individually illuminated, with a minimum of 0.3 footcandles.
- (n) All mobile home spaces shall abut upon a street. All streets shall be provided with a smooth, hard and dense surface which shall be well drained under normal use and weather conditions for the area. Pavement edges shall be curbed and protected to prevent raveling of the wearing surface and shifting of the pavement base. Grades of streets shall be sufficient to insure adequate surface drainage but not more than eight percent (8%), provided a maximum grade of twelve percent (12%) may be used if approved by the street superintendent, as safe and designed to avoid traffic hazards. Streets shall be at approximately right angles within one hundred (100) feet of an intersection. Intersections of more than two (2) streets at one (1) point shall not be allowed. A distance of at least one hundred fifty (150) feet shall be maintained between center lines of offset intersecting streets.

- (o) All parks shall be provided with pedestrian walks between individual mobile homes, park streets and community facilities of not less than three (3) feet in width. Walks in locations where pedestrian traffic is concentrated shall be a minimum of three and one-half (3-1/2) feet wide. Grade and surfacing of walks shall be approved by the Director of Public Works as safe and comparable to sidewalks in other areas of the municipality subject to similar usage.
- (p) All mobile home parks shall have a greenbelt or buffer strip not less than twenty (20) feet wide along all boundaries. Unless adequately screened by existing vegetative cover, all mobile home parks shall be provided, within such greenbelt or buffer strip, with screening of natural growth or screen fence, except where the adjoining property is also a mobile home park. Compliance with this requirement shall be made within five (5) years from the granting of the mobile home park developer's permit. Permanent planting shall be grown and maintained at a height of not less than six (6) feet. Screening or planting requirements may be waived or modified by the governing body if it finds that the exterior architectural appeal and functional plan of the park, when completed, will be materially enhanced by modification or elimination of such screen planting requirements.
- (q) In all mobile home parks, there shall be one (1) or more recreation areas easily accessible to all park residents. No single recreation area shall contain less than two thousand five hundred (2,500) square feet unless each mobile home site is **provide with contiguous a common recreational area** not less than twenty (20) feet at the narrowest dimension. Recreation areas shall be so located as to be free of traffic hazards and convenient to mobile home spaces which they serve.
- (r) Single-family nondependent mobile homes and approved accessory structures included in the original plans and specifications or revisions thereof, parks, playgrounds, open space, off-street parking lots, one (1) park office and service buildings for exclusive use of park residents shall be the only permitted uses in mobile home parks, provided the Common Council may approve the following uses when designed and limited to exclusive use of park residents:
 - (1) Laundromats.
 - (2) Clubhouses and facilities for private, social or recreation clubs.
 - (3) Swimming pools.
- (s) No signs shall be erected in mobile home parks except signs pertaining to the lease, hire or sale of individual mobile homes not more than two (2) square feet in area and one (1) mobile home park identification sign not more than fifty (50) square feet in area at each park entrance.
- (t) All mobile home parks shall be provided with safe and convenient vehicular access from abutting public streets or roads to each mobile home space. Entrances to parks shall be designed to minimize congestion and traffic hazards and allow free movement of traffic on adjacent streets.