

SEC. 13-1-163 STANDARDS FOR GENERAL SITE PLANNING FOR MOBILE HOME COMMUNITIES.

The following guides, standards and requirements shall apply in site planning for mobile home communities:

- (a) **Principal Vehicular Access Points.** Principal vehicular access points shall be designed to encourage smooth traffic flow with controlled turning movements and minimum hazards to vehicular or pedestrian traffic. Merging and turnout lanes and/or traffic dividers shall be required where existing or anticipated heavy flows indicate need. In general, minor streets shall not be connected with streets outside the district in such a way as to encourage the use of such minor streets by substantial amounts of through traffic. No lot within the community shall have direct vehicular access to a street bordering the development.
- (b) **Access for Pedestrians and Cyclists.** Access for pedestrians and cyclists entering or leaving the community shall be by safe and convenient routes. Such ways need not be adjacent to or limited to the vicinity of vehicular access points. Where there are crossings of such ways and vehicular routes at edges of planned developments, such crossings shall be safety located, marked and controlled and where such ways are exposed to substantial vehicular traffic at edges of communities, safeguards may be required to prevent crossings except at designated points. Bicycle paths, if provided, shall be so related to the pedestrian way system that street crossings are combined.
- (c) **Protection of Visibility – Automotive Traffic, Cyclists and Pedestrians.** At intersections of any streets, public or private, the provisions of Section 13-1-90 shall apply and is hereby adopted by reference. Where there is pedestrian or bicycle access from within the community to a street at its edges by paths or across yards or other open space without a barrier to prevent access to the street, no material impediment to visibility more than two and five-tenths (2.5) feet above ground level shall be created or maintained within twenty-five (25) feet of said street unless at least twenty-five (25) feet from said access measured at right angles to the path.
- (d) **Exterior Yards for Mobile Home Communities; Minimum Requirements; Occupancy.** The following requirements and limitations shall apply to yards at the outer edges of mobile home communities:
 - (1) Along Public Streets. Where R-MH communities adjoin public streets along exterior boundaries, a yard at least twenty-five (25) feet in minimum dimensions shall be provided adjacent to such streets. Such yard may be used to satisfy open space depth requirements for individual dwellings but shall not contain carports, recreational shelters, storage structures or any other structures generally prohibited in yards adjacent to streets in residential districts. No direct vehicular access to individual lots shall be permitted through such yards, and no group parking facilities or active recreation areas shall be allowed therein.
 - (2) At Edges of R-MH Districts (Other Than at Streets or Alleys). Where R-MH communities are so located that one (1) or more boundaries are at the edges of R-MH districts and adjoining neighboring districts without an intervening street, alley or other permanent open space at least twenty (20) feet in width, an exterior yard at least twenty (20) feet in minimum dimension shall be provided. Where the adjoining district is residential, the same limitations on occupancy and use of such yards shall apply as stated above concerning yards along public streets. Where the adjoining

district is nonresidential, such yards may be used for group or individual parking, active recreation facilities or carports, recreational shelters or storage structures.

- (e) **Ways for Pedestrians and/or Cyclists in Exterior Yards.** In any exterior yard, required or other, ways for pedestrian and/or cyclists may be permitted, if appropriately located, fenced or landscaped to prevent potential hazards arising from vehicular traffic on adjacent streets or other hazards and annoyances to users or to occupants of adjoining property. When otherwise in accord with the requirements concerning such ways set forth above, approved ways in such locations shall be counted as common recreation facilities and may also be used for utilities easements.
- (f) **Yards, Fences, Walls or Vegetative Screening at Edges of Mobile Home Communities.** Along the edges of mobile home communities, walls or vegetative screening shall be provided where needed to protect residents from undesirable views, lighting, noise, or other off-site influences or to protect occupants of adjoining residential districts from potentially adverse influences within the mobile home community. In particular, extensive off-street parking areas and service areas for loading and unloading other than passenger vehicles, and for storage and collection of trash and garbage, shall be screened.
- (g) **Internal Relationships.** The site plan shall provide for safe, efficient, convenient and harmonious groupings of structures, uses and facilities, and for appropriate relation of space inside and outside buildings to intended uses and structural features. In particular:
 - (1) Streets, Drives and Parking and Service Areas. Streets, drives and parking and service areas shall provide safe and convenient access to dwellings and community facilities and for service and emergency vehicles, but streets shall not be so laid out as to encourage outside traffic to traverse the community, nor occupy more land than is required to provide access as indicated, nor create unnecessary fragmentation of the community into small blocks. In general, block size shall be the maximum consistent with use, the shape of the site and the convenience and safety of the occupants.
 - (2) Vehicular Access to Streets. Vehicular access to streets from off-street parking areas may be direct from dwellings if the street or portion of the street serves fifty (50) units or less. Determination of units served shall be based on normal routes anticipated for traffic. Along streets or portions of streets serving more than fifty (50) dwelling units, or constituting major routes to or around central facilities, access from parking and service areas shall be so combined, limited, located, designed and controlled as to channel traffic conveniently, safely and in a manner that minimizes marginal traffic friction, and direct vehicular access from individual dwellings shall generally be prohibited.
 - (3) Ways for Pedestrians and Cyclists; Use by Emergency, Maintenance or Service Vehicles.
 - a. Walkways shall form a logical, safe and convenient system for pedestrian access to all dwellings, project facilities and principal off-street pedestrian destinations. Maximum walking distance in the open between dwelling units and related parking spaces, delivery areas and trash and garbage storage areas intended for use of occupants shall not exceed one hundred (100) feet.
 - b. Walkways to be used by substantial numbers of children as play areas or routes to school, bus stops or other destinations shall be so located and safeguarded as

to minimize conflicts with normal automotive traffic. If an internal walkway system is provided, away from streets, bicycle paths shall be incorporated in the walkway system. Street crossings shall be held to a minimum on such walkways and shall be located and designated to provide safety and shall be appropriately marked and otherwise safeguarded. Ways for pedestrians and cyclists, appropriately located, designed and constructed may be combined with other easements and used by emergency, maintenance or service vehicle but shall not be used by other automotive traffic.

SEC. 13-1-164 THROUGH SEC. 13-1-169 RESERVED FOR FUTURE USE.